REFERENCES

1] Davidson-Hunt I.2000: Ecological ethno botany: stumbling toward new practices and paradigms. MASA J. ,16:1–13,2000.

2] Davidson-Hunt I.2000: Ecological ethno botany: stumbling toward new practices and paradigms. MASA J. ,16:1–13,2000.

3] S.K.PandeyandR.P.Shukla,"Plant diversity in managed Sal (Shorea robusta Gaertn.) forests of Gorakhpur, India: species composition, regeneration and conservation, "Biodiversity & Conservation, vol. 12, no. 11, pp. 2295–2319, 2003.

4] WHO. 2003. Traditionalmedicine Fact sheet No 134.

5] Balmford A, Green RE, Jenkins M (2003) Measuring the changing state of nature. Trends in Ecology and Evolution 18(7): 326-330.

6] Eisner T (2003) For the Love of Insects. Belknap Harvard, Cambridge Massachusetts, USA.

7] Beattie AJ, Ehrlich PR (2004) Wild Solutions: How Biodiversity is Money in the Bank. Second Edition. Yale University Press, New Haven, UK.

8] Ortholand JY, Ganesan A (2004) Natural Products and Combinatorial Chemistry: Back to the Future. Current Opinion in Chemical Biology 8(3): 271-280.

9] Chapman T (2004) The Leading Edge. Nature 430: 109-115.

10] Bhandari, MM. Medicinal plants: Biodiversity conservation, export potential and intellectual property rights. In: Medicinal plants utilization and conservation (Eds.) Trivedi P.C., Aaviskar Publishers, Jaipur. 2004; 83.

11] A. A. Aiyeloja and O. A. Bello, "Ethnobotanical potentials of common herbs in Nigeria: a case study of Enugu state,"Educational Research and Reviews,vol.1,pp.16–22,2006.

12] *Akinpelu D. A & Onakoya T.M.* 2006 Anti Microbial activities of Medicinal plants used in folklore remedies in South-Western Africa. J. of Biotech Vol (5) (11) : 1078-1081.

13] . Hamayun M, Khan SA, Sohn EY, Lee IJ (2006) Folk medicinal knowledge and conservation status of some economically valued medicinal plants of District Swat, Pakistan, Lyonia. J Ecol Appl 11: 101-113.

14] A. A. Aiyeloja and O. A. Bello, "Ethnobotanical potentials of common herbs in Nigeria: a case study of Enugu state," Educational Research and Reviews ,vol.1,pp.16–22,2006.

15] Collins S., Martins X., Mitchell A., Teshome A., Arnason J.T. 2006. Quantitative ethnobotany of two East Timorese cultures. Economic Botany 60, 347–361.

16].Bajpayee K.K. (2007) Ipomoea fistulosa Mart, ex. Choisy (convolvulaceae). An Ethnobotanical Approach J.Econ. Tax bot. vol.32 (suppl)336-338

17] Keller H.A. 2008. Etnobota´nica de comunidades guaranı´es de Misiones, Argentina; valoracio´n de vegetacio´n como fuente de recursos. PhD dissertation, Universidad Nacional del Nordeste, Corrientes.

18] . Hussain SZ, Malik RN, Javaid M, Bibi S (2008) Ethnobotanical properties and uses of medicinal plants of Morgah biodiversity park. Pak J Bot 40: 1897-1911.

19] Bajpayee K.K. 2008 Ethanobotany: The Science of Tribals Vanyajati.Vo. L VI (1) 13-16

20] K. Poonam and G. S. Singh, "Ethnobotanical study of medicinal plants used by the Taungya community in Terai Arc Landscape, India," Journal of Ethnopharmacology, vol.123, no.1,pp.167–176, 2009.

21] Dixit,S Huma Ali.Antioxidant Potential Some Medicinal Plants of Central India,Journal of Cancer Therapy, 2010, 1, 87-90 Doi:10.4236/jct.2010.12014 Published Online June 2010.

22] S Huma Ali.Antioxidant Potential Some Medicinal Plants of Central India,Journal of Cancer Therapy, 2010, 1, 87-90 Doi:10.4236/jct.2010.12014 Published Online June 2010 (http://www.SciRP.org/journal/jct) agroguid.

23]. Dixit,S Huma Ali.Antioxidant Potential Some Medicinal Plants of Central India,Journal of Cancer Therapy, 2010, 1, 87-90 Doi:10.4236/jct.2010.12014 Published Online June 2010 (http://www.SciRP.org/journal/jct) agroguid.

24] Amuthavalluvan V.Int Mult Res J 2011; 1(7): 47-51.

25] Boer de H.J., Lamxay V., Bjo¨rk L. 2012. Comparing medicinal plant knowledge using similarity indices: a case of the Brou, Saek and Kry in Lao PDR. Journal of Ethnopharmacology 41, 481–500.

26] Bassam Abdul Rasool Hassan. Medicinal Plants (Importance and Uses). Clinical Pharmacy Discipline, School of Pharmaceutical Sciences, University of Sains Malaysia, 11800, Minden, Penang, Malaysia, Pharmaceutica Analytica Acta, 2012.

27] Shanmugam S, Rajendran K, Suresh K.Asian Pac J Trop Biomed2012; 5: 429-434.

28] Jain N, Nadguada R (2013) Commiphora wightii (Arnott) Bhandari-a natural source of guggulsterone: facing a high risk of extinction in its natural habitat. Am J Plant Sci 4: 57-68.

29] Gilani SA, Sherwani SK, Qureshi RA, Khan AM, Sahreen S (2013) Medicinal plants diversity and its indigenous use in Pakistan. Int Journal Adv Res 1: 6603-6608.

30] Arasaratnam L.A. 2013. A review of articles on multiculturalism in 35 years of IJIR. International Journal of Intercultural Relations 37, 676–685.

31] Deepak S. Pawar A and Shinde P. (2014) Study of Antioxident & Antimicrobial activities of Andrographs peniculata. Asian J. of Pl. Sci. & Res. 4 (2) 31-41.

32] Bajpayee K.K. 2015 Antifungal activities of bark extracts of Calotrois procera (Ait) R.Br. International, J.Of Adv.In Sci.Res 1(2)-108-110

33] Sikarwar R.L.S. 2015 Sustainable development and utilization of biodiversity : A gift for future generation .Lect ON int. Day for Biol. Divers. For sus. Dev.

34] Timothy T 2017 Floklore Unbound : Aconcise introduction. The Folklore Society U.K. 314 (551-556)

35] Rachel. P. 2018 Snakestone bead folklore. J Folklore Vol.129:4(397-419)

36]Degh L, 2018 approaches to folklore research immigrant groups J. of American.